



TECHNICAL DATA SHEET
FOR ZHM-01M

Hangzhou RunZhou Fiber Technologies Co., Ltd
All rights reserved

1. Product description

The equipment is a kind of end-user product to realize FTTD solutions, applying for home or work area to complete fiber access and port output, storage ,management, meanwhile, protecting the fiber core.

2. Product picture




3. Features

- The body is made of high quality engineering plastic with good strength, the products are beautiful in appearance and the quality of process is good;
- Sculpting logo on the surface of the box is optional(pic#4 for refer);
- Load 1 SC adapters or SC cover adapter are available(pic#5 for refer);
- Invisible optical fiber 30m can be stored, and coiling wheel can be turned on the bottom box, and the length of the fiber pull-out can be adjusted according to the actual situation(pic#6 for refer);
- The whole curvature radius control ensures that the curvature radius of optical fiber is greater than 30mm at any position;
- Back gluing on the back of the box installation and hanging wall installation are optional (pic#7 for refer);


4. Configuration table

Model No.	ZHM-01M	Color	White
Dimension(L*W*D,MM)	93*83*29	Capacity	1cores
Material	PC+ABS, ABS,PC	Flame retardant performance	Non-flame retardant

5. Drawings:(mm)



6. Pictures for reference



7. Packing

Packing Nunber(pcs)	Carton Size(mm)	Plastic bag Size(mm)	G.W(KGS)
200	490*375*265	120*120	15.5